

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9A

GFV-003
October 30, 2000
25 mg

Patient already showing healing on left arm lesion from decreased skin picking on low dose topiramate for 1 week. This lesion had been wet and oozing 1 week prior.



FIG. 9B

GFV-003
November 6, 2000
50 mg

Patient continues showing healing on left arm lesion from decreased skin picking.




FIG. 9C

GFV-003
November 15, 2000
75 mg

Patient continuing to show healing on left arm lesion from decreased skin picking as this close up to the lesion shows.



FIG. 9D

GFV-003
November 21, 2000
100 mg

Patient with completely healed over lesion on left arm from decreased skin picking on topiramate.



FIG. 10A

MJG-001
October 27, 2000
75 mg
Patient's right arm skin lesion which had been completely open and wet approximately 1 ½ months earlier shows healing with her decreased skin picking on topiramate




FIG. 10B

MJG-001
November 15, 2000
125 mg
Patient's skin is continuing to heal with decreased skin picking on topiramate.




FIG. 10C

MJG-001
November 20, 2000
125 mg
Patient's skin is showing significant healing with decreased skin picking on topiramate for approximately 2 months.




FIG. 11A




FIG. 11B



FIG. 12A




FIG. 12B



FIG. 13A





FIG. 13B



* lesions smaller than previous ones and appeared to result after insect bites

FIG. 14



FIG. 15A



FIG. 15B




FIG. 16




FIG. 17




FIG. 18